

2021- 22 PACi Split System Pricing List

NEW PACI NX RANGE STANDARD INVERTER



WALL MOUNTED 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PK3Z5	3.6KW	3.4KW	3.9KW	1PH	15A	3-15M	15 / 15	1/4 & 1/2	7.5M	10 G/M	13KG 32KG	302 x 1 120 x 236	619 x 824 x 299	£1,549
KIT-50PK3Z5	5.0KW	4.8KW	5.6KW	1PH	15A	3-20M	15 / 15	1/4 & 1/2	7.5M	15 G/M	13KG 35KG	302 x 1 120 x 236	619 x 824 x 299	£1,764
KIT-60PK3Z5 A	6.0KW	6.0KW	6.1KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	7.5M	15 G/M	14KG 42KG	302 x 1 120 x 236	695 x 875 x 320	£1,987
KIT-71PK3Z5 A	7.1KW	6.7KW	6.9KW	1PH	20A	3-40M	20 / 30	1/4 & 5/8	10M	17 G/M	14KG 50KG	302 x 1 120 x 236	695 x 875 x 320	£2,267
KIT-100PK3Z5	9.0KW	9.0KW	9.6KW	1PH	32A	3-50M	15 / 30	3/8 & 5/8	30M	45 G/M	14KG 83KG	302 x 1 120 x 236	996 x 980 x 370	£2,543

WALL MOUNTED 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-100PK38	9KW	9KW	9.6KW	3PH	15A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	14KG 83KG	302 x 1 120 x 236	996 x 980 x 370	£2,636

WALL MOUNTED ELITE 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PK3ZH5	3.6KW	3.5KW	4.34KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	13KG 42KG	302 x 1 120 x 236	695 x 875 x 320	£1,874
KIT-50PK3ZH5	5.0KW	4.9KW	5.6KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	13KG 42KG	302 x 1 120 x 236	695 x 875 x 320	£2,055
KIT-60PK3ZH5 A	6.0KW	6.0KW	6.92KW	1PH	25A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	14KG 43KG	302 x 1 120 x 236	695 x 875 x 320	£2,404
KIT-71PK3ZH5	7.1KW	8.1KW	8.55KW	1PH	25A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	14KG 65KG	302 x 1 120 x 236	996 x 940 x 340	£2,775
KIT-100PK3ZH5	9.0KW	9.6KW	10.45KW	1PH	32A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	14KG 98KG	302 x 1 120 x 236	1416 x 940 x 340	£3,230

WALL MOUNTED ELITE 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-71PK3ZH8	7.1KW	8.1KW	8.55KW	3PH	15A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	14KG 65KG	302 x 1 120 x 236	996 x 940 x 340	£2,825
KIT-100PK3ZH8	9.5KW	9.6KW	10.45KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	14KG 98KG	302 x 1 120 x 236	1 416 x 940 x 340	£3,265



90 X 90 CASSETTE 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PU3Z5	3.6KW	3.4KW	3.9KW	1PH	10A	3-15M	15 / 15	1/4 & 1/2	7.5M	10 G/M	19KG 32KG	256 X 840 X 840	619 X 824 X 299	£1,561
KIT-50PU3Z5	5.0KW	4.8KW	5.6KW	1PH	13A	3-20M	15 / 15	1/4 & 1/2	7.5M	15 G/M	19KG 35KG	256 X 840 X 840	619 X 824 X 299	£1,776
KIT-60PU3Z5 A	6.0KW	5.9KW	6.2KW	1PH	16A	3-30M	15 / 30	1/4 & 1/2	7.5M	15 G/M	20KG 42KG	256 X 840 X 840	695 X 875 X 320	£2,066
KIT-71PU3Z5	7.1KW	6.7KW	6.9KW	1PH	16A	3-40M	20 / 30	1/4 & 5/8	10M	17 G/M	20KG 50KG	256 X 840 X 840	695 X 875 X 320	£2,346
KIT-100PU3Z5	10.0KW	10.7KW	12.68KW	1PH	32A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 90KG	319 X 840 X 840	996 X 980 X 370	£2,796
KIT-125PU3Z5	12.5KW	12.6KW	14.7KW	1PH	32A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 90KG	319 X 840 X 840	996 X 980 X 370	£3,087
KIT-140PU3Z5	14.0KW	13.9KW	15.22KW	1PH	32A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 94KG	319 X 840 X 840	996 X 980 X 370	£3,682

90 X 90 CASSETTE 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-100PU3Z8	10KW	10.7KW	12.6KW	3PH	15A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 90KG	319 X 840 X 840	996 X 980 X 370	£2,889
KIT-125PU3Z8	12.5KW	12.6KW	14.7KW	3PH	20A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 90KG	319 X 840 X 840	996 X 980 X 370	£3,143
KIT-140PU3Z8	14.0KW	13.9KW	15.22KW	3PH	20A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 90KG	319 X 840 X 840	996 X 980 X 370	£3,710

ELITE 90 X 90 CASSETTE INVERTER+ SINGLE PHASE - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PU3ZH5	3.6KW	3.5KW	4.34KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	19KG 42KG	319 X 840 X 840	695 X 875 X 320	£1,886
KIT-50PU3ZH5	5.0KW	4.9KW	5.6KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	19KG 42KG	319 X 840 X 840	695 X 875 X 320	£2,067
KIT-60PU3ZH5 A	6.0KW	5.9KW	6.92KW	1PH	25A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	20KG 43KG	319 X 840 X 840	695 X 875 X 320	£2,483
KIT-71PU3ZH5	7.1KW	8.4KW	8.55KW	1PH	25A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	20KG 65KG	319 X 840 X 840	996 X 940 X 340	£2,854
KIT-100PU3ZH5	10.0KW	11.4KW	12.65KW	1PH	32A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 98KG	319 X 840 X 840	1416 X 940 X 340	£3,483
KIT-125PU3ZH5	12.5KW	12.9KW	14.5KW	1PH	32A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 98KG	319 X 840 X 840	1416 X 940 X 340	£3,742
KIT-140PU3ZH5	14.0KW	14.6KW	16.35KW	1PH	40A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	25KG 98KG	319 X 840 X 840	1416 X 940 X 340	£4,157

ELITE 90 X 90 CASSETTE 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-71PU3ZH8	7.1KW	8.4KW	8.55KW	3PH	15A	5-50M	30	3/8 & 5/8	30M	45 G/M	20KG 65KG	256 X 840 X 840	996 X 940 X 340	£2,904
KIT-100PU3ZH8	10.0KW	11.4KW	12.65KW	3PH	15A	5-85M	30	3/8 & 5/8	30M	45 G/M	25KG 98KG	256 X 840 X 840	1416 X 940 X 340	£3,518
KIT-125PU3ZH8	12.5KW	12.8KW	14.5KW	3PH	15A	5-85M	30	3/8 & 5/8	30M	45 G/M	25KG 98KG	256 X 840 X 840	1416 X 940 X 340	£3,852
KIT-140PU3ZH8	14.0KW	14.6KW	16.35KW	3PH	15A	5-85M	30	3/8 & 5/8	30M	45 G/M	25KG 98KG	256 X 840 X 840	1416 X 940 X 340	£4,458



ADAPTIVE DUCTED UNIT 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PF3Z5	3.4KW	3.2KW	3.9KW	1PH	15A	3-15M	15 / 15	1/4 & 1/2	7.5M	10 G/M	25KG 32KG	250 x 800 x 730	619 x 824 x 299	£1,644
KIT-50PF3Z5	5.0KW	4.8KW	5.2KW	1PH	15A	3-20M	15 / 15	1/4 & 1/2	7.5M	15 G/M	25KG 35KG	250 x 800 x 730	619 x 824 x 299	£1,859
KIT-60PF3Z5 A	5.7KW	5.6KW	6.2KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	7.5M	15 G/M	30KG 42KG	250 x 1000 x 730	695 x 875 x 320	£2,063
KIT-71PF3Z5	6.8KW	6.5KW	6.9KW	1PH	20A	3-40M	20 / 30	1/4 & 5/8	10M	17 G/M	30KG 50KG	250 x 1000 x 730	695 x 875 x 320	£2,343
KIT-100PF3Z5	10.0KW	10.6KW	12.18KW	1PH	32A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	39KG 83KG	250 x 1400 x 730	996 x 980 x 370	£2,902
KIT-125PF3Z5	12.5KW	12.6KW	14.7KW	1PH	40A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	39KG 87KG	250 x 1400 x 730	996 x 980 x 370	£3,193
KIT-140PF3Z5	14.0KW	13.9KW	15.22KW	1PH	40A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	39KG 87KG	250 x 1400 x 730	996 x 980 x 370	£3,788

ADAPTIVE DUCTED UNIT 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-100PF3Z8	10.0KW	10.6KW	12.18KW	3PH	15A	5-50M	30	3/8 & 5/8	30M	45 G/M	39KG 90KG	250 X 1400 X 730	996 X 980 X 370	£2,995
KIT-125PF3Z8	12.5KW	12.6KW	14.7KW	3PH	20A	5-50M	30	3/8 & 5/8	30M	45 G/M	39KG 90KG	250 X 1400 X 730	996 X 980 X 370	£3,249
KIT-140PF3Z8	14.0KW	13.9KW	15.22KW	3PH	20A	5-50M	30	3/8 & 5/8	30M	45 G/M	39KG 90KG	250 X 1400 X 730	996 X 980 X 370	£3,816

EILTE ADAPTIVE DUCTED UNIT 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PFH3Z5	3.6KW	3.5KW	4.34KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	25KG 42KG	250 x 800 x 730	695 x 875 x 320	£1,969
KIT-50PFH3Z5	5.0KW	4.9KW	5.6KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	25KG 42KG	250 x 800 x 730	695 x 875 x 320	£2,150
KIT-60PFH3Z5 A	5.7KW	5.6KW	6.92KW	1PH	25A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	30KG 43KG	250 x 1000 x 730	695 x 875 x 320	£2,480
KIT-71PFH3Z5	6.8KW	7.1KW	8.55KW	1PH	25A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	30KG 65KG	250 x 1000 x 730	996 x 940 x 340	£2,851
KIT-100PFH3Z5	9.5KW	10.4KW	12.3KW	1PH	32A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	39KG 98KG	250 x 1400 x 730	1416 x 940 x 340	£3,589
KIT-125PFH3Z5	12.1KW	12.4KW	14.5KW	1PH	40A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	39KG 98KG	250 x 1400 x 730	1416 x 940 x 340	£3,848
KIT-140PFH3Z5	13.4KW	13.9KW	16.35KW	1PH	40A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	39KG 98KG	250 x 1400 x 730	1416 x 940 x 340	£4,263

ELITE ADAPTIVE DUCTED UNIT 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN /OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-71PFH3Z8	6.8KW	7.1KW	8.55KW	3PH	15A	5-50M	15 / 30	3/8 & 5/8	30M	30 G/M	30KG 65KG	250 x 1000 x 730	996 x 940 x 340	£2,901
KIT-100PFH3Z8	9.5KW	10.4KW	12.3KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	30 G/M	39KG 98KG	250 x 1400 x 730	1416 x 940 x 340	£3,624
KIT-125PFH3Z8	12.1KW	12.4KW	14.5KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	30 G/M	39KG 98KG	250 x 1400 x 730	1416 x 940 x 340	£3,957
KIT-140PFH3Z8	13.4KW	13.9KW	16.35KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	30 G/M	39KG 98KG	250 x 1400 x 730	1416 x 940 x 340	£4,564



CEILING SUSPENDED UNIT 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PT3Z5	3.5KW	3.3KW	3.9KW	1PH	15A	3-15M	15 / 15	1/4 & 1/2	7.5M	10 G/M	26KG 32KG	235 x 960 x 690	619 x 824 x 299	£1,635
KIT-50PT3Z5	5.0KW	4.8KW	5.6KW	1PH	15A	3-20M	15 / 15	1/4 & 1/2	7.5M	15 G/M	26KG 35KG	235 x 960 x 690	619 x 824 x 299	£1,850
KIT-60PT3Z5 A	6.0KW	5.9KW	6.1KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	7.5M	15 G/M	34KG 42KG	235 x 1275 x 690	695 x 875 x 320	£2,060
KIT-71PT3Z5	6.8KW	6.5KW	6.9KW	1PH	20A	3-40M	20 / 30	1/4 & 5/8	10M	17 G/M	34KG 50KG	235 x 1275 x 690	695 x 875 x 320	£2,340
KIT-100PT3Z5	10.0KW	10.7KW	12.68KW	1PH	32A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 83KG	235 x 1590 x 690	996 x 980 x 370	£2,889
KIT-125PT3Z5	12.5KW	12.6KW	14.7KW	1PH	40A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 87KG	235 x 1590 x 690	996 x 980 x 370	£3,190
KIT-140PT3Z5	14.0KW	13.9KW	15.22KW	1PH	40A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 87KG	235 x 1590 x 690	996 x 980 x 370	£3,785

CEILING SUSPENDED UNIT 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-100PT3Z8	10.0KW	10.7KW	12.68KW	3PH	15A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 83KG	235 x 1590 x 690	996 x 980 x 370	£2,992
KIT-125PT3Z8	12.5KW	12.6KW	14.7KW	3PH	20A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 87KG	235 x 1590 x 690	996 x 980 x 370	£3,246
KIT-140PT3Z8	14.0KW	13.9KW	15.22KW	3PH	20A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 87KG	235 x 1590 x 690	996 x 980 x 370	£3,813

ELITE CEILING SUSPENDED UNIT 1PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PT3ZH5	3.5KW	3.4KW	4.34KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	26KG 42KG	235 x 960 x 690	695 x 875 x 320	£1,960
KIT-50PT3ZH5	5.0KW	4.9KW	5.6KW	1PH	20A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	26KG 42KG	235 x 960 x 690	695 x 875 x 320	£2,141
KIT-60PT3ZH5 A	6.0KW	5.9KW	6.92KW	1PH	25A	3-40M	15 / 30	1/4 & 1/2	30M	15 G/M	34KG 43KG	235 x 1275 x 690	695 x 875 x 320	£2,477
KIT-71PT3ZH5	6.8KW	8.1KW	8.55KW	1PH	25A	5-50M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 35KG	235 x 1275 x 690	996 x 940 x 340	£2,849
KIT-100PT3ZH5	9.5KW	11.4KW	12.65KW	1PH	32A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 65KG	235 x 1590 x 690	1416 x 940 x 340	£3,586
KIT-125PT3ZH5	12.1KW	12.8KW	14.5KW	1PH	40A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 98KG	235 x 1590 x 690	1416 x 940 x 340	£3,845
KIT-140PT3ZH5	13.4KW	13.4KW	16.35KW	1PH	40A	5-85M	15 / 30	3/8 & 5/8	30M	45 G/M	40KG 98KG	235 x 1590 x 690	1416 x 940 x 340	£4,260

ELITE CEILING SUSPENDED UNIT 3PH - POWER SUPPLY TO OUTDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION IN / OUT	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-71PT3ZH8	6.8KW	8.1KW	8.0KW	3PH	15A	5-50M	15 / 30	3/8 & 5/8	30M	30 G/M	34KG 65KG	235 x 1275 x 690	996 x 940 x 340	£2,898
KIT-100PT3ZH8	9.5KW	11.4KW	11.2KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	30 G/M	40KG 98KG	235 x 1590 x 690	1416 x 940 x 340	£3,621
KIT-125PT3ZH8	12.1KW	12.8KW	14.5KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	30 G/M	40KG 98KG	35 x 1590 x 690	1416 x 940 x 340	£3,954
KIT-140PT3ZH8	13.4KW	14.6KW	16.35KW	3PH	15A	5-85M	15 / 30	3/8 & 5/8	30M	30 G/M	40KG 98KG	35 x 1590 x 690	1416 x 940 x 340	£4,561



BIG PACI HI-STATIC DUCTED 3PH - POWER SUPPLY TO INDOOR AND OUTDOOR UNLESS USING INLINE FUSE

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-200PE3ZH8	19.5KW	20.8KW	24.41KW	3PH	15A	5-90M	30	3/8 & 1 1/8	30M	60 G/M	86KG 117KG	486 x 1456 x 916	1500 x 980 x 370	£6,251
KIT-250PE3ZH8	23.2KW	26.9KW	28.31KW	3PH	15A	5-60M	30	1/2 & 1 1/8	30M	80 G/M	88KG 128KG	486 x 1456 x 916	1500 x 980 x 370	£6,857



WALL MOUNTED - PROFESSIONAL INVERTER 1PH - POWER SUPPLY TO INDOOR

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-Z25-TKEA	2.50KW	2.49KW	3.33KW	1PH	10A	3-20M	15	1/4 & 3/8	7.5M	10 G/M	9KG 37KG	295 x 919 x 194	619 x 824 x 299	£1,067
KIT-Z35-TKEA	3.50KW	3.48KW	4.62KW	1PH	10A	3-20M	15	1/4 & 3/8	7.5M	10 G/M	10KG 38KG	295 x 919 x 194	619 x 824 x 299	£1,224
KIT-Z42-TKEA	4.20KW	4.18KW	5.04KW	1PH	16A	3-20M	15	1/4 & 1/2	7.5M	10 G/M	12KG 38KG	302 x 1 120 x 236	619 x 824 x 299	£1,466
KIT-Z50-TKEA	5.00KW	4.66KW	5.62KW	1PH	16A	3-30M	15	1/4 & 1/2	7.5M	15 G/M	12KG 43KG	302 x 1 120 x 236	695 x 875 x 320	£1545
KIT-Z71-TKEA	7.1KW	6.55KW	6.94KW	1PH	20A	3-30M	20	1/4 & 5/8	10M	20 G/M	13KG 49KG	302 x 1 120 x 236	695 x 875 x 320	£2,094



ELITE 600 X 600 4 WAY CASSETTE INVERTER 1PH - POWER SUPPLY TO INDOOR AND OUTDOOR UNLESS USING INLINE FUSE

	COOLING (NOM)	COOLING UK (TOTAL)	HEATING UK	POWER SUPPLY	FUSE SIZE	MAX PIPE LENGTH (M)	VERTICAL SEPARATION	PIPE SIZE	PRE-CHARGE	ADDITIONAL GAS CHARGE PER M	WEIGHT kg (I/D O/D)	INDOOR UNIT SIZE (H x W x D)	OUTDOOR UNIT SIZE (H x W x D)	SYSTEM COST
KIT-36PY2ZH5	3.6KW	4.0KW	2.9KW	1PH	5A	3-40M	30	1/4 & 1/2	30M	20 G/M	18KG	288 x 583 x 583	695 x 875 x 320	£2,039
KIT-50PY2ZH5	5.0KW	5.5KW	3.8KW	1PH	5A	3-40M	30	1/4 & 1/2	30M	20 G/M	18KG	288 x 583 x 583	695 x 875 x 320	£2,285

NX WALL MOUNTED - TWIN SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
2 x S-3650PK3E	U-71PZH3E5	Elite	7.1KW	1Ph	£3,353
2 x S-3650PK3E	U-71PZH3E8	Elite	7.1KW	3Ph	£3,403
2 x S-3650PK3E	U-100PZ3E5	Standard	10.0KW	1Ph	£3,121
2 x S-3650PK3E	U-100PZ3E8	Standard	10.0KW	3Ph	£3,214
2 x S-3650PK3E	U-100PZH3E5	Elite	10.0KW	1Ph	£3,808
2 x S-3650PK3E	U-100PZH3E8	Elite	10.0KW	3Ph	£3,843
2 x S-6010PK3E	U-125PZ3E5	Standard	12.5KW	1Ph	£3,840
2 x S-6010PK3E	U-125PZ3E8	Standard	12.5KW	3Ph	£3,896
2 x S-6010PK3E	U-125PZH3E5	Elite	12.5KW	1Ph	£4,495
2 x S-6010PK3E	U-125PZH3E8	Elite	12.5KW	3Ph	£4,604
2 x S-6010PK3E	U-140PZ3E5	Standard	14.0KW	1Ph	£4,435
2 x S-6010PK3E	U-140PZ3E8	Standard	14.0KW	3Ph	£4,463
2 x S-6010PK3E	U-140PZH3E5	Elite	14.0KW	1Ph	£4,910
2 x S-6010PK3E	U-140PZH3E8	Elite	14.0KW	3Ph	£5,211
2 x S-6010PK3E	U-200PZH2E8	Elite	20.0KW	3Ph	£5,276

NX WALL MOUNTED - TRIPLE SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
3 x S-3650PK3E	U-100PZH3E5	Elite	10.0kW	1Ph	£4,641
3 x S-3650PK3E	U-100PZH3E8	Elite	10.0kW	3Ph	£4,676
3 x S-3650PK3E	U-125PZH3E5	Elite	12.5kW	1Ph	£4,900
3 x S-3650PK3E	U-125PZH3E8	Elite	12.5kW	3Ph	£5,009
3 x S-3650PK3E	U-140PZH3E5	Elite	14.0kW	1Ph	£5,315
3 x S-3650PK3E	U-140PZH3E8	Elite	14.0kW	3Ph	£5,616
3 x S-6010PK3E	U-200PZH2E8	Elite	20.0kW	3Ph	£6,300

NX WALL MOUNTED - QUAD SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
4 x S-3650PK3E	U-125PZH3E5	Elite	12.5kW	1Ph	£5,651
4 x S-3650PK3E	U-125PZH3E8	Elite	12.5kW	3Ph	£5,760
4 x S-3650PK3E	U-200PZH2E8	Elite	20.0kW	3Ph	£6,432
4 x S-6010PK3E	U-250PZH2E8	Elite	25.0kW	3Ph	£7,722

NX 4 WAY CASSETTE - TWIN SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
2 x S-3650PU3E	U-71PZH3E5	Elite	7.1KW	1Ph	£3,377
2 x S-3650PU3E	U-71PZH3E8	Elite	7.1KW	3Ph	£3,427
2 x S-3650PU3E	U-100PZ3E5	Standard	10.0KW	1Ph	£3,145
2 x S-3650PU3E	U-100PZ3E8	Standard	10.0KW	3Ph	£3,238
2 x S-3650PU3E	U-100PZH3E5	Elite	10.0KW	1Ph	£3,832
2 x S-3650PU3E	U-100PZH3E8	Elite	10.0KW	3Ph	£3,867
2 x S-6071PU3E	U-125PZ3E5	Standard	12.5KW	1Ph	£3,998
2 x S-6071PU3E	U-125PZ3E8	Standard	12.5KW	3Ph	£4,054
2 x S-6071PU3E	U-125PZH3E5	Elite	12.5KW	1Ph	£4,653
2 x S-6071PU3E	U-125PZH3E8	Elite	12.5KW	3Ph	£4,762
2 x S-6071PU3E	U-140PZ3E5	Standard	14.0KW	1Ph	£4,593
2 x S-6071PU3E	U-140PZ3E8	Standard	14.0KW	3Ph	£4,621
2 x S-6071PU3E	U-140PZH3E5	Elite	14.0KW	1Ph	£5,068
2 x S-6071PU3E	U-140PZH3E8	Elite	14.0KW	3Ph	£5,369
2 x S-1014PU3E	U-200PZH2E8	Elite	20.0KW	3Ph	£5,782
2 x S-1014PU3E	U-250PZH2E8	Elite	25.0KW	3Ph	£6,216

NX HIGH STATIC DUCTED - TWIN SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
2 x S-3650PF3E	U-71PZH3E5	Elite	7.1KW	1Ph	£3,623
2 x S-3650PF3E	U-71PZH3E8	Elite	7.1KW	3Ph	£3,673
2 x S-3650PF3E	U-100PZ3E5	Standard	10.0KW	1Ph	£3,391
2 x S-3650PF3E	U-100PZ3E8	Standard	10.0KW	3Ph	£3,484
2 x S-3650PF3E	U-100PZH3E5	Elite	10.0KW	1Ph	£4,078
2 x S-3650PF3E	U-100PZH3E8	Elite	10.0KW	3Ph	£4,113
2 x S-6071PF3E	U-125PZ3E5	Standard	12.5KW	1Ph	£4,100
2 x S-6071PF3E	U-125PZ3E8	Standard	12.5KW	3Ph	£4,156
2 x S-6071PF3E	U-125PZH3E5	Elite	12.5KW	1Ph	£4,755
2 x S-6071PF3E	U-125PZH3E8	Elite	12.5KW	3Ph	£4,864
2 x S-6071PF3E	U-140PZ3E5	Standard	14.0KW	1Ph	£4,695
2 x S-6071PF3E	U-140PZ3E8	Standard	14.0KW	3Ph	£4,723
2 x S-6071PF3E	U-140PZH3E5	Elite	14.0KW	1Ph	£5,170
2 x S-6071PF3E	U-140PZH3E8	Elite	14.0KW	3Ph	£5,471
2 x S-1014PF3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,128
2 x S-1014PF3E	U-250PZH2E8	Elite	25.0KW	3Ph	£6,562

NX CEILING SUSPENDED - TWIN SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
2 x S-3650PT3E	U-71PZH3E5	Elite	7.1KW	1Ph	£3,525
2 x S-3650PT3E	U-71PZH3E8	Elite	7.1KW	3Ph	£3,575
2 x S-3650PT3E	U-100PZ3E5	Standard	10.0KW	1Ph	£3,293
2 x S-3650PT3E	U-100PZ3E8	Standard	10.0KW	3Ph	£3,386
2 x S-3650PT3E	U-100PZH3E5	Elite	10.0KW	1Ph	£3,980
2 x S-3650PT3E	U-100PZH3E8	Elite	10.0KW	3Ph	£4,015
2 x S-6071PT3E	U-125PZ3E5	Standard	12.5KW	1Ph	£3,986
2 x S-6071PT3E	U-125PZ3E8	Standard	12.5KW	3Ph	£4,042
2 x S-6071PT3E	U-125PZH3E5	Elite	12.5KW	1Ph	£4,641
2 x S-6071PT3E	U-125PZH3E8	Elite	12.5KW	3Ph	£4,750
2 x S-6071PT3E	U-140PZ3E5	Standard	14.0KW	1Ph	£4,581
2 x S-6071PT3E	U-140PZ3E8	Standard	14.0KW	3Ph	£4,609
2 x S-6071PT3E	U-140PZH3E5	Elite	14.0KW	1Ph	£5,056
2 x S-6071PT3E	U-140PZH3E8	Elite	14.0KW	3Ph	£5,357
2 x S-1014PF3E	U-200PZH2E8	Elite	20.0KW	3Ph	£5,988
2 x S-1014PF3E	U-250PZH2E8	Elite	25.0KW	3Ph	£6,422

NX CASSETTE - TRIPLE SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
3 x S-3650PU3E	U-100PZH3E5	Elite	10.0KW	1Ph	£4,677
3 x S-3650PU3E	U-100PZH3E8	Elite	10.0KW	3Ph	£4,712
3 x S-3650PU3E	U-125PZH3E5	Elite	12.5KW	1Ph	£4,936
3 x S-3650PU3E	U-125PZH3E8	Elite	12.5KW	3Ph	£5,045
3 x S-3650PU3E	U-140PZH3E5	Elite	14.0KW	1Ph	£5,351
3 x S-3650PU3E	U-140PZH3E8	Elite	14.0KW	3Ph	£5,652
3 x S-6071PU3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,537

NX CASSETTE - QUAD SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
4 x S-3650PU3E	U-125PZH3E5	Elite	10.0KW	1Ph	£5,699
4 x S-3650PU3E	U-125PZH3E8	Elite	12.5KW	3Ph	£5,808
4 x S-3650PU3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,480
4 x S-6071PU3E	U-250PZH2E8	Elite	25.0KW	3Ph	£8,038

NX HIGH STATIC DUCTED - TRIPLE SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
3 x S-3650PF3E	U-100PZH3E5	Elite	10.0KW	1Ph	£5,046
3 x S-3650PF3E	U-100PZH3E8	Elite	10.0KW	3Ph	£5,081
3 x S-3650PF3E	U-125PZH3E5	Elite	12.5KW	1Ph	£5,305
3 x S-3650PF3E	U-125PZH3E8	Elite	12.5KW	3Ph	£5,414
3 x S-3650PF3E	U-140PZH3E5	Elite	14.0KW	1Ph	£5,720
3 x S-3650PF3E	U-140PZH3E8	Elite	14.0KW	3Ph	£6,021
3 x S-6071PF3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,690

NX HIGH STATIC DUCTED - QUAD SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
4 x S-3650PF3E	U-125PZH3E5	Elite	10.0KW	1Ph	£6,191
4 x S-3650PF3E	U-125PZH3E8	Elite	12.5KW	3Ph	£6,300
4 x S-3650PF3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,972
4 x S-3650PF3E	U-250PZH2E8	Elite	25.0KW	3Ph	£8,242

NX CEILING SUSPENDED- TRIPLE SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
3 x S-3650PT3E	U-100PZH3E5	Elite	10.0KW	1Ph	£4,899
3 x S-3650PT3E	U-100PZH3E8	Elite	10.0KW	3Ph	£4,934
3 x S-3650PT3E	U-125PZH3E5	Elite	12.5KW	1Ph	£5,158
3 x S-3650PT3E	U-125PZH3E8	Elite	12.5KW	3Ph	£5,267
3 x S-3650PT3E	U-140PZH3E5	Elite	14.0KW	1Ph	£5,573
3 x S-3650PT3E	U-140PZH3E8	Elite	14.0KW	3Ph	£5,874
3 x S-6071PF3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,519

NX CEILING SUSPENDED - QUAD SYSTEMS

INDOOR UNITS	OUTDOOR UNITS	OUTDOOR TYPE	COOLING (NOM)	POWER SUPPLY	SYSTEM COST
4 x S-3650PT3E	U-125PZH3E5	Elite	10.0KW	1Ph	£5,995
4 x S-3650PT3E	U-125PZH3E8	Elite	12.5KW	3Ph	£6,104
4 x S-3650PT3E	U-200PZH2E8	Elite	20.0KW	3Ph	£6,776
4 x S-3650PT3E	U-250PZH2E8	Elite	25.0KW	3Ph	£8,014

Low Temperature Applications

Panasonic PACi Elite offers a high quality and efficient solution for low temperature applications



Overview

The Panasonic PACi Elite range of semi-industrial systems has been developed to lead the way in quality air conditioning for commercial environments. The Elite line is prevalent in low temperature applications, including wine cellars, server rooms and food storage areas, thanks to its ErP-approved units, and exceptional cooling capabilities.

The range boasts a wide range of features that make it the perfect solution to the needs of challenging commercial and seasonal demands. The units provide continuous cooling when outside temperatures are between -15°C and 46°C .

Solutions for cold rooms, wine cellars and special low temperature rooms

Boasting exceptional energy performance, the system ranks among the best in its class (SEER A++) and its inverter technology reduces power consumption and operating costs by 20%. This, combined with the use of R32 gas to reduce the unit CO₂ emissions, ensures Panasonic PACi solutions offer market-leading efficiency.

The latest models in the series are not only built to the highest industry standards to ensure optimum efficiency, they are also lightweight, with a slim and compact design, making these units easy to install.

There is a complete range from 3.60 to 22.00kW.


Just like all the indoor units in the PACi range, these units can be monitored via the internet, generating an alarm if there is a breakdown.

One of the main features of the PACi series is the possibility of adjusting the product for special applications, not just for regular heating and cooling applications. The PACi Elite range caters special applications that require cooling to maintain rooms between 8°CWB and 24°CWB (10°CDB - 30°CDB).

The perfect solution for:

- Wine cellars
- Ice cream factories
- Flower shops
- Supermarkets
- Grain stores
- Food storage
- Food processing
- Food distribution
- Lunchrooms
- Vegetable processing

Range of temperature for wine cellar



Low Temperature Compatible Unit Configurations

The PACi Elite range caters special applications that require cooling to maintain rooms between 8°CWB and 24°CWB (10°CDB 30°CDB). In order adjust the product for low temperature applications, in terms of enthalpy, the indoor unit needs to be over-dimensioned and certain parameters need to be adjustable. Below are the compatible configurations for each of the PACi Elite range.



Wall Mounted (PK)

	low temp.36	low temp.50	low temp.60	low temp.71	low temp.100	low temp.125	low temp.140	low temp. 200	low temp. 250
Kit	KIT-NXLT36PK3	KIT-NXLT50PK3	KIT-NXLT60PK3	KIT-NXLT71PK3 / -3PH	KIT-NXLT100PK3 / -3PH	KIT-NXLT125PK3 / -3PH	KIT-NXLT140PK3 / -3PH	N/A	N/A
Indoor Unit	S-6010PK3E	S-6010PK3E	S-6010PK3E	S-6010PK3Ex2	S-6010PK3Ex2	S-6010PK3Ex2	S-6010PK3Ex2	N/A	N/A
Outdoor Unit	U-36PZH3E5	U-50PZH3E5	U-60PZH3E5	U-71PZH3E5/8	U-100PZH3E5/8	U-125PZH3E5/8	U-140PZH3E5/8	N/A	N/A
£	2,109	2,290	2,425	3,802 / 3,852	4,257 / 4,292	4,516 / 4,625	4,931 / 5,232	-	-

Ceiling Suspended (PT3)

	low temp. 36	low temp. 50	low temp. 60	low temp. 71	low temp. 100	low temp.125	low temp.140	low temp.200	low temp.250
Kit	KIT-NXLT36PT3	KIT-NXLT50PT3	KIT-NXLT60PT3	KIT-NXLT71PT3 / -3PH	KIT-NXLT100PT3 / -3PH	KIT-NXLT125PT3 / -3PH	KIT-NXLT140PT3 / -3PH	KIT-NX-LT200PT3-3PH	KIT-NX-LT250PT3-3PH
Indoor Unit	S-6071PT3E	S-6071PT3E	S-1014PT3E	S-1014PT3E	S-1014PT3E	S-1014PT3E	S-1014PT3Ex2	S-1014PT3Ex2	S-1014PT3Ex2
Outdoor Unit	U-36PZH3E5	U-50PZH3E5	U-60PZH3E5	U-71PZH3E5/8	U-100PZH3E5/8	U-125PZH3E5/8	U-140PZH3E5/8	U-200PZH2E8	U-250PZH2E8
£	2,182	2,363	2,781	3,152 / 3,202	3,607 / 3,642	3,866 / 3,975	5,643 / 5,944	6,009	6,443

4 Way 90 x 90 Cassette (PU)

	low temp. 36	low temp. 50	low temp. 60	low temp. 71	low temp. 100	low temp.125	Low temp.140	low temp.200	low temp.250
Kit	KIT-NXLT36PU3	KIT-NXLT50PU3	KIT-NXLT60PU3	KIT-NXLT71PU3 / -3PH	KIT-NXLT100PU3 / -3PH	KIT-NXLT125PU3 / -3PH	KIT-NXLT140PU3 / -3PH	KIT-NXLT-200PU3-3PH	KIT-NXLT-250PU3-3PH
Indoor Unit	S-6071PU3E	S-6071PU3E	S-6071PU3E	S-1014PU3E	S-1014PU3E	S-1014PU3E	S-1014PU3Ex2	S-1014PU3Ex2	S-1014PU3Ex2
Outdoor Unit	U-36PZH3E5	U-50PZH3E5	U-60PZH3E5	U-71PZH3E5/8	U-100PZH3E5/8	U-125PZH3E5/8	U-140PZH3E5/8	U-200PZH2E8	U-250PZH2E8
£	2,188	2,369	2,678	3,049 / 3,099	3,504 / 3,539	3,763 / 3,539	5,437 / 5,803	5,803	6,237

High Static Pressure Hide Away (PF)

	low temp.36	low temp.50	low temp.60	low temp.71	low temp.100	low temp.125	low temp.140	low temp. 200	low temp. 250
Kit	KIT-NXLT36PF3	KIT-NXLT50PF3	KIT-NXLT60PF3	KIT-NXLT71PF3 / -3PH	KIT-NXLT100PF3 / -3PH	KIT-NXLT125PF3 / -3PH	KIT-NXLT140PF3 / -3PH	N/A	N/A
Indoor Unit	S-6071PF3E	S-6071PF3E	S-6071PF3E	S-1014PF3E	S-1014PF3E	S-1014PF3E	S-1014PF3Ex2	N/A	N/A
Outdoor Unit	U-36PZH3E5	U-50PZH3E5	U-60PZH3E5	U-71PZH3E5/8	U-100PZH3E5/8	U-125PZH3E5/8	U-140PZH3E5/8	N/A	N/A
£	2,239	2,420	2,555	3,222 / 3,272	3,677 / 3,712	3,936 / 4,045	5,702 / 6,003	-	-

Accessories	RRP £
PAW-WTRAY Tray for condenser water compatible with outdoor elevation platform	125
PAW-GRDBSE20 Outdoor base ground support for noise and vibration absorption	115
PAW-GRDSTD40 Outdoor elevation platform 400x900x400 mm	125

Accessories	RRP £
CZ-CENSC1 Econavi energy savings sensor	142
CZ-56DAF2 Air outlet plenum for S-3650PF3E	162
CZ-90DAF2 Air outlet plenum for S-6071PF3E	199
CZ-160DAF2 Air outlet plenum for S-1014PF3E	228